











































# SPRAYOUTS

## 15mm ProBell® Rotary Atomizer

Outer Shaping Air

4.1 BAR							
3.4 BAR							
2.8 BAR							
2.0 BAR							
1.4 BAR							
0.7 BAR							
	0 BAR	0.7 BAR	1.4 BAR	2.0 BAR	2.8 BAR	3.4 BAR	4.1 BAR

## Inner Shaping Air

### SETUP

- Flow Rate: 100 cc/min
- Turbine Speed: 30 kRPM
- No electrostatics
- Pattern size measured 254mm from bell

Øx.x" denotes pattern size. Measurements in metric units. For an imperial version, see form 345191.


Use Inner Shaping Air to widen pattern and Outer Shaping Air to narrow pattern.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

# SPRAYOUTS

## 30mm ProBell® Rotary Atomizer

Outer Shaping Air



## Inner Shaping Air

### SETUP

- Flow Rate: 300 cc/min
- Turbine Speed: 30 kRPM
- No electrostatics
- Pattern size measured 254mm from bell

Øx.x" denotes pattern size. Measurements in metric units. For an imperial version, see form 345191.

Use Inner Shaping Air to widen pattern and Outer Shaping Air to narrow pattern.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

# SPRAYOUTS

## 50mm ProBell® Rotary Atomizer



### Outer Shaping Air

4.1 BAR			Ø115mm	Ø152mm	Ø230mm	Ø250mm	Ø266mm
3.4 BAR	Ø254mm	Ø152mm	Ø115mm	Ø165mm	Ø240mm	Ø266mm	Ø280mm
2.8 BAR			Ø115mm	Ø177mm	Ø250mm	Ø280mm	Ø290mm
2.0 BAR	Ø305mm	Ø177mm	Ø130mm	Ø190mm	Ø266mm	Ø305mm	Ø305mm
1.4 BAR			Ø130mm	Ø200mm	Ø280mm	Ø355mm	Ø355mm
0.7 BAR	Ø330mm	Ø735mm	Ø406mm	Ø280mm	Ø609mm	Ø560mm	Ø508mm
	0 BAR	0.7 BAR	1.4 BAR	2.0 BAR	2.8 BAR	3.4 BAR	4.1 BAR

### Inner Shaping Air

#### SETUP

- Flow Rate: 300 cc/min
- Turbine Speed: 30 kRPM
- No electrostatics
- Pattern size measured 254mm from bell

Øx.x" denotes pattern size. Measurements in metric units. For an imperial version, see form 345191.

Use Inner Shaping Air to widen pattern and Outer Shaping Air to narrow pattern.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

©2022 Graco Inc. Form No. 345192 Rev. A 1/22 Printed in the U.S.A.  
All other brand names or marks are used for identification purposes and are trademarks of their respective owners.